

Concrete Sealers

Sponsored by



ACRYLIC

Abatron

Acrylic 57-1 (0-50 g/L)

Acrymax Technologies, Inc.

Acrymax (50-250 g/L)

AFM

Safecoat MexeSeal (50-250 g/L)

California Title 24

Alistagen

Caliwel Industrial Antimicrobial Coating (0-50 g/L)

California Title 24

American Decorative Concrete

Dye-N-Seal 400 Sprayable Acrylic Sealer (250-400 g/L)

Anvil Paints & Coatings, Inc.

Anvil 1955 Paver Sealer (250-400 g/L)

Arizona Polymer Flooring Inc.

Acryseal (50-250 g/L)

Arma Coatings

Arma Coatings (0-50 g/L)

BASF Construction Chemicals - Building Systems

Kure 1315 (50-250 g/L)

Kure-N-Seal W (50-250 g/L)

Kure-N-Seal (250-400 g/L)

AcrylSeal HS (400+ g/L)

ChemMasters, Inc.

PolySeal WB (0-50 g/L)

Crystal Clear A (250-400 g/L)

PolySeal A (250-400 g/L)

Traz 25 A (250-400 g/L)

Clemons Concrete

SUPREME SEAL (400+ g/L)

Cohills Building Specialties

Cohills Pro series, Okon, Merlex, W.R. Meadows

Concrete Coatings Inc.

GemKote™, ProSeal™ (50-250 g/L)

SuperSeal™ (400+ g/L)

Convenience Products / Seal-Krete

Seal-Krete (0-50 g/L)

Duckback Products

Superdeck.com (50-250 g/L)

Dunn-Edwards Corporation

Eff-Stop Acrylic Masonry Primer/Sealer (50-250 g/L)

MPI Approved Products List

Engrave-A-Crete

Concrete Resurrection (0-50 g/L)

Epoxytec International

Epoxytec CPP (0-50 g/L)

Euclid Chemical Company

Luster Seal 350 (250-400 g/L)

Rez-Seal (400+ g/L)

Super Diamond Clear (400+ g/L)

GoldenLook International

GoldenLook High Gloss Water Based Sealer (0-50 g/L)

Graham Paint

Aqua Borne Ceramic, Elite, Ceramic Pro, Element, Ceramithane, Lumber Jacket (50-250 g/L)

H & C Concrete Stains

H&C "Wet-Look" Concrete Sealer (50-250 g/L)

H&C Paver Sealer (50-250 g/L)

H&C Concrete Sealer Clear Gloss (400+ g/L)

H&C Infusion Solvent Based Sealer (400+ g/L)

H&C Infusion Water Based Sealer (400+ g/L)

Increte Systems Inc.

Clear Seal (0-50 g/L)

Clear Seal (0-50 g/L)

Kaufman Products, Inc.

Krystal 15 Emulsion (0-50 g/L)

Krystal 25 Emulsion (0-50 g/L)

Krystal 25 OTC (250-400 g/L)

Krystal 25 (400+ g/L)

Kemiko Concrete Stains

Kemiko Stone Tone Sealer II (0-50 g/L)

Koester American Corp.

Koester American VAP I pH (0-50 g/L)

Newlook International, Inc.

Newlook Concrete Sealer (0-50 g/L)

Nox-Crete Products Group

Cure & Seal 100 - 300 E (50-250 g/L)

Sparkl-Seal E (250-400 g/L)

Cure & Seal 1315 A (400+ g/L)

Cure & Seal 1315 B (400+ g/L)

Sparkl-Seal VOC (400+ g/L)

Permacrete/Quality Systems

PermaSeal Sealer (50-250 g/L)

California Title 24

Proline Concrete Tools

Duraseal (50-250 g/L)

Richard James Specialty Chemicals

TekSeal™ (50-250 g/L)

TekSeal™ PRO (50-250 g/L)

Rodda Paint Co.

Cloverdale Aqua Seal Acrylic Water Repellent (250-400 g/L)

MPI Approved Products List, MPI Green

Performance Standard

Smart Surface Technology Inc.

Colormaker (0-50 g/L)

Specialty Concrete Products, Inc.

Chrome-Seal 30% Solids Acrylic Sealer (400+ g/L)

Chrome-Seal Pigmented Sealer (400+ g/L)

SuperStone, Inc.

Super Stone Acrylic VOC (0-50 g/L)

United Gilsonite Laboratories

DRYOK (50-250 g/L)

Versatile Building Products

Polyurea 5000 (0-50 g/L)

Versa-Glaze (50-250 g/L)

Vexcon Chemical

StarSeal EF (0-50 g/L)

W. R. Meadows, Inc.

Decra-Seal W/B (0-50 g/L)

Lin-Seal (0-50 g/L)

Vocomp-20 (0-50 g/L)

Vocomp-25 (0-50 g/L)

Vocomp-30 (50-250 g/L)

Zinsser Co., Inc.

OKON Plugger Water-Repellent Sealer (50-250 g/L)

OKON W-2 Water-Repellent Sealer (50-250 g/L)

ALKYD

PPG Industries Inc.

PERMA-CRETE® Plex-Seal™ Interior/Exterior Clear Sealer (50-250 g/L)

CEMENTITIOUS

Super-Krete International, Inc

Pene-Krete, Bond-Kote, Color Stain, Super-Krete (0-50 g/L)

EPOXY

Anti-Hydro International, Inc.

A-H Oilguard (0-50 g/L)

Basic Polymers

Basic Armour Glaze 5000 (0-50 g/L)

Basic Epoxy 3500 (0-50 g/L)

Basic Epoxy Moisture Seal (0-50 g/L)

Cohills Building Specialties

Cohills Pro Series, Sta-crete

Corro-Shield

Aqua-Seal (0-50 g/L)

Crossfield Products/Dex-O-Tex

Dex-O-Tex (0-50 g/L)

Dur-A-Flex

Dur-A-Glaze (0-50 g/L)

Dur-A-Shield (0-50 g/L)

GoldenLook International

GoldenLook Epoxy (0-50 g/L)

International Coatings Inc.

ICO Sealer (0-50 g/L)

ITW American Safety Technologies

PS-100 WB Epoxy Primer/Sealer (50-250 g/L)
Green Seal

ITW Resin Technologies

ITW Impax Surface Systems (0-50 g/L)

Koester American Corp.

Koester American VAP I 2000 (0-50 g/L)

Koester American VAP I Systems (0-50 g/L)

Richard James Specialty Chemicals

StoneLok™ "E3" (50-250 g/L)

FLUOROPOLYMER

L&M Construction Chemicals

Petrotex (50-250 g/L)

METHYL METHACRYLATE

Dayton Superior

Dayton Superior, Conspec, Edoco (250-400 g/L)



THE ART OF CONCRETE.



The visual appeal of a true work of art is timeless—a lot like an INDUROSHINE™ concrete floor. The INDUROSHINE system from W. R. MEADOWS uses a penetrating densifier/hardener that converts concrete into a dense, tough mass with a lustrous appearance and no superficial layer to wear away. Using VIC International's GreenSpec® grinding system, you can choose a matte, satin or gloss finish. And environmentally safe LIQUI-HARD® penetrates to create an ultra-tough homogenous surface with lasting beauty.

Leave a legacy you can be proud of. Specify the INDUROSHINE system—sustainable design at its best. For more information, visit www.wrmeadows.com or call 1-800-342-5976.



QUALITY...INTEGRITY...
SERVICE...SINCE 1926



© W. R. MEADOWS, INC. 2007

For more info, return Reader Inquiry Card

Nox-Crete Products Group

Cure & Seal 1200 E (250-400 g/L)

Transpo

T-17 Patch (0-50 g/L)

T-70 Sealate® (0-50 g/L)

POLYSILOXANE**Damtite Waterproofing**

Damtite ClearShield (0-50 g/L)

EPRO Services

Ecosil (0-50 g/L)

POLYUREA**Cohills Building Specialties**

Cohills Pro Series, Sta-Crete

GoldenLook International

Diamond Shield (0-50 g/L)

Reactamine Technology

Amerilyte, Nexamine (0-50 g/L)

Specialty Products Inc.

SPI Polyshield Hi-E™ (0-50 g/L)

Versatile Building Products

Polyurea 5073 (0-50 g/L)

POLYURETHANE**Arizona Polymer Flooring Inc.**

Polyurethane 250 (50-250 g/L)

ChemMasters, Inc.

SafeThane (50-250 g/L)

Cohills Building Specialties

Cohills Pro Series, Sta-Crete

Concrete Coatings Inc.

SuperGlaze™ VOC, WBU & 3600 (250-400 g/L)

Dudick, Inc

Dudick Sealer (0-50 g/L)

Duraamen Building & Allied Products Inc.

Perdure (0-50 g/L)

Dur-A-Flex

Armor-Top (50-250 g/L)

Enviro-Top (50-250 g/L)

Huntsman Polyurethanes

SUPRASEC 9584 (0-50 g/L)

Keim Min. Ctgs. of America, Inc.

KEIM Sealer (0-50 g/L)

Permacrete/Quality SystemsPermaThane CRU-750 (0-50 g/L)
California Title 24**Polyval Coatings**

Polyur Concrete Sealer 313605 (400+ g/L)

Richard James Specialty Chemicals

StoneLok™ "2K" (50-250 g/L)

StoneLok™ "MLT Plus" (50-250 g/L)

Rudd Company, Inc.

SkimStone (50-250 g/L)

Veron Coating Systems Inc.

Veron Coatings UV-Seal 230 Low VOC (0-50 g/L)

Veron Coatings UV-Seal 230 (250-400 g/L)

Westcoat Specialty Coating Systems

Westcoat Specialty Coating Systems (50-250 g/L)

RUBBER**Liquid Rubber**

DacLar, DryLar, VezLar, ZavLar, VoxLar,

NyTech, AcriTech, FireSafe, NuLar (0-50 g/L)

Underwriters Laboratories (UL) 1709

RoofMart International, Inc.

RMI SMART System (0-50 g/L)

ASTM D6083, California Title 24, CRRC Listed,
Energy Star, Factory Mutual (FM), Florida Energy
Code, Underwriters Laboratories (UL) 1709**SaverSystems/Defy**

Defy (400+ g/L)

MPI Approved Products List

SILANE**Advanced Chemical Technologies, Inc.**

SIL-ACT (250-400 g/L)

SIL-ACT Multigard (250-400 g/L)

ChemMasters, Inc.

Aquinil Plus 40 (250-400 g/L)

Dow Corning Corporation

Dow Corning® Z-6665 (50-250 g/L)

Dow Corning® Z-6341 Silane (250-400 g/L)

Dow Corning® Z-2306 Silane (250-400 g/L)

Dow Corning® Z-6403 Silane (400+ g/L)

Kemiko Concrete Stains

Kemiko's Sta-Natural Sealer (0-50 g/L)

L&M Construction Chemicals

Aquapel and Aquapel Plus (50-250 g/L)

Nox-Crete Products Group

Stifel (50-250 g/L)

SILICATE**ChemMasters, Inc.**

Chemisil (0-50 g/L)

Chemisil Plus (0-50 g/L)

Convergent Concrete Technologies

Pentra-Guard (EXT) (0-50 g/L)

Pentra-Sil (244) Plus (0-50 g/L)

Pentra-Sil (NL) (0-50 g/L)

Eco-House Inc.

1050 PrimaSil Silicate Dispersion Primer (0-50 g/L)

Nox-Crete Products Group

Bro-Cure (0-50 g/L)

Duro-Nox (0-50 g/L)

Protecrete

PROTECRETE (0-50 g/L)

Richard James Specialty Chemicals

TopLok™ "101" (0-50 g/L)

Shore Corporation

ShoreBest 2450 Consolidant (0-50 g/L)

ShoreBest 2451 (0-50 g/L)

SILICONE**ChemMasters, Inc.**

Aquanil (400+ g/L)

H & C Concrete Stains

H&C Solid Color Concrete Sealer (400+ g/L)

SEI Chemical

SCS-002-SP (Sealer Prime) (0-50 g/L)

Truco, Inc.

Eterna Seal (400+ g/L)

Wall Firma

FirmaClear (0-50 g/L)

SILOXANE**ChemMasters, Inc.**

Spall Guard WB10% (0-50 g/L)

Dow Corning Corporation

Dow Corning® IE-6683 Water Repellent (50-250 g/L)

Dow Corning® IE-6694 Water Repellent (50-250 g/L)

Dow Corning® 520 Dilutable Water Repellent (250-400 g/L)

Evonik Degussa Corporation

Protectosil AquaPaver (50-250 g/L)

Shore Corporation

ShoreBest 2422 (400+ g/L)

Wall Firma

DryOnClear DOC (0-50 g/L)

SOY**Eco Safety Products, Inc**

Acri-Soy (0-50 g/L)

PolySoy Protective Clear Topcoat Finish (0-50 g/L)

VINYL**Duradek Ltd.**

Duradek

HYBRID**Aquron Corporation**

Aquron 6312 (0-50 g/L)

Euclid Chemical Company

Chemstop WB (0-50 g/L)

MPI Approved Products List

Kurez DR VOX (250-400 g/L)

L. M. Scofield

SCOFIELD Selectaseal-W (50-250 g/L)

Productions TeamGreen Umbrella Microfilm Impregnating
Sealer (0-50 g/L)**SpeedCove Inc. / Solid Rock Enterprises**

SpeedCove Precast Cove Base Systems (0-50 g/L)

OTHER**Aquron Corporation**

Aquron CPT-2000 (0-50 g/L)

EPDM Coatings

Liquid Rubber (250-400 g/L)

Florlic Polytech Corporation

Florlic Polytech (0-50 g/L)

Hycrete

Hycrete SAW (0-50 g/L)

Poly-Wall (Protective Coatings Technology, Inc)

Poly-Wall (0-50 g/L)

VersaFlex Incorporated

Lithium Based Technology by VersaFlex (0-50 g/L)


913.321.9000
www.versaflex.com

W. R. Meadows, Inc.

Deck-O-Shield (0-50 g/L)