

CEMENTITIOUS**Damtite Waterproofing**

Damtite Powder Foundation Waterproofer, Gray (0-50 g/L)
Damtite Powder Waterproofer, White (0-50 g/L)

Dayton Superior

Dayton Superior, Conspec, Edoco (0-50 g/L)

Koester American Corp.

KD Blitz Powder (0-50 g/L)
Koester American NB-1 (0-50 g/L)

Super-Krete International, Inc

Pene-Krete, Bond-Kote, Color Stain, Super-Krete (0-50 g/L)

Vandex USA, LLC

Vandex BB 75
Vandex BB 75E
Vandex Cemelast
Vandex Super

EPOXY**Anti-Hydro International, Inc.**

A-H Oilguard (0-50 g/L)

Kemiko Concrete Stains

Kemko (Sta-Crete) 1500 (0-50 g/L)
Underwriters Laboratories (UL) 1709

REMA TIP TOP GmbH, Munich

COROFLAKE (0-50 g/L)

METHYL METHACRYLATE**Transpo**

T-17 Patch (0-50 g/L)
T-70 Sealate® (0-50 g/L)

POLYESTER**Kemper System, Inc.**

Kemperol BR (0-50 g/L)
Factory Mutual (FM), Underwriters Laboratories (UL) 1709

POLYUREA**REMA TIP TOP GmbH, Munich**

REMACOAT (0-50 g/L)

Specialty Products Inc.

SPI Polyshield - HT™ (0-50 g/L)

POLYURETHANE**Gaco Western LLC**

Gacoflex LM60 (0-50 g/L)

Polycoat Products

Aquaseal 100 (50-250 g/L)
Aquaseal 5000 (50-250 g/L)

REMA TIP TOP GmbH, Munich

COROPUR (0-50 g/L)

Urethane Polymers International

Uradek (50-250 g/L)

RUBBER**Liquid Rubber**

DacLar, DryLar, VezLar, ZavLar, VoxLar, NyTech, AcriTech, FireSafe, NuLar (0-50 g/L)
Underwriters Laboratories (UL) 1709

SILICATE**Protecrete**

PROTECRETE (0-50 g/L)

VINYL ESTER**REMA TIP TOP GmbH, Munich**

COROFLAKE (250-400 g/L)

HYBRID**Crossfield Products/Dex-O-Tex**

Dex-O-Tex (0-50 g/L)

OTHER**Cohills Building Specialties**

Thoro, Merlex

Florlic Polytech Corporation

Florlic Polytech (0-50 g/L)

Grace Construction Products

Bituthene®, Preprufe®

Hycrete

Hycrete Element (0-50 g/L)

Poly-Wall (Protective Coatings Technology, Inc)

Poly-Wall (250-400 g/L)

Sheet-applied**ASPHALTIC/BITUMINOUS****GMX, Inc.**

GMX Self-Adhered Membrane (0-50 g/L)

EPOXY**Anti-Hydro International, Inc.**

A-H Oilguard (0-50 g/L)

POLYUREA**Specialty Products Inc.**

SPI Polyshield - HT™ (0-50 g/L)

RUBBER**REMA TIP TOP GmbH, Munich**

CHEMOLINE (0-50 g/L)

VINYL**Duradek Ltd.**

Duradek

OTHER**Grace Construction Products**

Perm-A-Barrier®, Bituthene®, Preprufe®

Poly-Wall (Protective Coatings Technology, Inc)

Poly-Wall (0-50 g/L)

Wood Coatings**Interior****ACRYLIC****Arma Coatings**

Arma Coatings (0-50 g/L)

Crescent Bronze Powder Co., Inc.

Cres-Lite® (50-250 g/L)

Faux Effects Inc.

Faux Effects® Gold and Silver Product Lines (0-50 g/L)

Graham Paint

Aqua Borne Ceramic, Elite, Ceramic Pro, Element, Ceramithane (50-250 g/L)
Aqua Borne Ceramic, Elite, Ceramic Pro, Element, Ceramithane, Lumber Jacket (50-250 g/L)

Industrial Nanotech

Nansulate (50-250 g/L)
(ASTM E84)

Kelly-Moore Paint Company

Dura-Poxy+ (50-250 g/L)
MPI Approved Products List

Rodda Paint Co.

Unique II 100% Acrylic Enamel Undercoater (50-250 g/L)

MPI Approved Products List, MPI Green Performance Standard

Sherwin-Williams

Duration Home Interior Latex (0-50 g/L)

MPI Approved Products List, MPI Green Performance Standard

Harmony Interior Latex (0-50 g/L)

Green Guard, MPI Approved Products List, MPI Green Performance Standard (ASTM E84)

ProGreen 200 (0-50 g/L)

Green Guard, MPI Approved Products List, MPI Green Performance Standard

Thermal Product Research

Fireshell®, Heatshedder®, Structuresavior™ (0-50 g/L)

Green Seal (ASTM E84)

YOLO Colorhouse

YOLO Colorhouse (0-50 g/L)
Green Seal

ALKYD**Akzo Nobel Sikkens Woodcare**

Sikkens (250-400 g/L)

Cabot

Cabot Interior Wood Stains & Varnishes (250-400 g/L)

General Paint Corp.

Interior Wood Stains (50-250 g/L)

MPI Approved Products List

CEMENTITIOUS**Stone Coat**

Stone Coat (0-50 g/L)

POLYESTER**Tiger Drylac**

TIGER Drylac (0-50 g/L)

POLYUREA**Specialty Products Inc.**

SPI Polyshield SS-100™ (0-50 g/L)

POLYURETHANE**AFM**

Safecoat Polyureseal BP (50-250 g/L)
California Title 24

BonaKemi USA

- Bona Bonaseal® (50-250 g/L)
Green Guard
- Bona DTS™ Deep Tone Sealer (50-250 g/L)
Green Guard
- Bona MEGA (50-250 g/L)
Green Guard
- Bona Naturale™ (50-250 g/L)
Green Guard, Underwriters Laboratories (UL) 1709
- Bona Pacific Filler™ (50-250 g/L)
Green Guard
- Bona Strong™ (50-250 g/L)
Green Guard
- Bona SuperSport™ One Finish (50-250 g/L)
- Bona SuperSport™ Seal (50-250 g/L)
- Bona Traffic (50-250 g/L)
Green Guard
- Bona Sport Poly 350 Finish (250-400 g/L)
- Bona Sport Seal 350 (250-400 g/L)
- Bona SuperSport™ (250-400 g/L)
- Bona Swedish Formula® Hardwood Floor Refresher (250-400 g/L)
Green Guard
- Woodline® Poly 350 (250-400 g/L)
- Woodline® Polyurethane (250-400 g/L)
- Bona All Court® Poly Finish (400+ g/L)
- Bona Sport Poly Finish (400+ g/L)
- Bona Sport Seal (400+ g/L)

Crawford Laboratories

- Alkathane (250-400 g/L)
- CRRC Listed (ASTM E84)*

Polyval Coatings

- Polyur MC 62 (400+ g/L)

Zinsser Co., Inc.

- Bulls Eye Oil-Base Polyurethane (250-400 g/L)

VINYL

Polyval Coatings

- Polyur Floor Sealer 7267 (400+ g/L)

HYBRID

AFM

- Safecoat Naturals Oil Wax (250-400 g/L)
- California Title 24*

OTHER

Akzo Nobel - Interpon Powder Coatings

- Interpon Woodcote (0-50 g/L)

Howard Products Inc.

- Howard (0-50 g/L)

Kelly-Moore Paint Company

- Woodcraft (400+ g/L)

No-Burn, Inc.

- No-Burn Original (0-50 g/L)
(ASTM E84)
- No-Burn Original Mih (0-50 g/L)
(ASTM E84)
- No-Burn Plus (0-50 g/L)
(ASTM E119, ASTM E84)
- No-Burn Plus Mih (0-50 g/L)
(ASTM D5590, ASTM E84)
- No-Burn Wood Gard (0-50 g/L)
(ASTM E84)
- No-Burn Wood Gard Mih (0-50 g/L)
(ASTM D5590, ASTM E84)

Rodda Paint Co.

- Cat-A-Lac Pre-Catalyzed Lacquer (400+ g/L)
- MPI Approved Products List*

Rudd Company, Inc.

- Conversion Varnish (400+ g/L)
- Precatalyzed Lacquer (400+ g/L)

Sashco/Zero Failures

- Sashco Sealants

Zinsser Co., Inc.

- Bulls Eye SealCoat (400+ g/L)
- Bulls Eye Shellac (400+ g/L)

Exterior

ACRYLIC

Arma Coatings

- Arma Coatings (0-50 g/L)

Cabot

- Cabot PRO.V.T. Solid Acrylic Stain (50-250 g/L)
- Cabot Semi-Solid Acrylic Stain (50-250 g/L)
- Cabot The Finish (50-250 g/L)

Diamond Vogel Paint

- Weather Plate 100% Acrylic Latex Ext. Flat BF-Series (50-250 g/L)
- MPI Approved Products List, MPI Green Performance Standard*
- Weather Plate 100% Acrylic Latex Ext. Mid Sheen BN-Series (50-250 g/L)
- MPI Approved Products List, MPI Green Performance Standard*
- Weather Plate 100% Acrylic Latex Ext. Satin BS-Series (50-250 g/L)
- Weather Plate 100% Acrylic Latex Ext. Semi-Gloss BH-Series (50-250 g/L)
- Weather Plate Acrylic Latex Ext. Primer BU-Series (50-250 g/L)
- MPI Approved Products List, MPI Green Performance Standard*

Duckback Products

- Superdeck (50-250 g/L)

Dunn-Edwards Corporation

- Acri-Hues Exterior Acrylic Flat Paint (0-50 g/L)
- MPI Green Performance Standard*
- Enduracryl Exterior Acrylic Low Sheen Paint (0-50 g/L)
- MPI Approved Products List, MPI Green Performance Standard*
- Permagloss Int/Ext Acrylic Gloss (0-50 g/L)
- MPI Approved Products List, MPI Green Performance Standard*
- Permasheen Int/Ext Acrylic Semi-Gloss (0-50 g/L)
- MPI Approved Products List, MPI Green Performance Standard*
- Permeshell Int/Ext Acrylic Eggshell (0-50 g/L)
- MPI Approved Products List, MPI Green Performance Standard*
- EZ-Prime Exterior Acrylic Wood Primer (50-250 g/L)
- MPI Approved Products List*

Fraze Paint & Wallcovering

- 203 Duratec II (50-250 g/L)

General Paint Corp.

- Woodcraft Stains (50-250 g/L)
- MPI Approved Products List*

Graham Paint

- Aqua Borne Ceramic, Elite, Ceramic Pro, Element, Ceramithane (50-250 g/L)
- Aqua Borne Ceramic, Elite, Ceramic Pro, Element, Ceramithane, Lumber Jacket (50-250 g/L)

Industrial Nanotech

- Nansulate (50-250 g/L)
- (ASTM E84)*

Kelly-Moore Paint Company

- Dura-Poxy+ (50-250 g/L)
- MPI Approved Products List*
- Acry-Shield (50-250 g/L)
- MPI Approved Products List*
- Color Shield (50-250 g/L)
- MPI Approved Products List*

Mad Dog Paint Products

- Mad Dog Primer (0-50 g/L)

Pratt & Lambert Paints

- Accolade Exterior Eggshell (50-250 g/L)
- MPI Approved Products List*
- Accolade Exterior Eggshell (50-250 g/L)
- MPI Approved Products List*
- Accolade Exterior Semi-gloss (50-250 g/L)
- MPI Approved Products List*
- Red Seal Exterior Semi-Gloss (50-250 g/L)

Rodda Paint Co.

- First Coat 100% Acrylic Multi Purpose Primer (50-250 g/L)
- MPI Approved Products List, MPI Green Performance Standard*
- Unique II Low & Semi-Gloss (50-250 g/L)
- MPI Approved Products List, MPI Green Performance Standard*

Sherwin-Williams

- Resilience Exterior Latex (0-50 g/L)
- Por Industrial 0 VOC Acrylic (0-50 g/L)
- Green Guard*
- SuperPaint Exterior Latex (0-50 g/L)
- A-100 Exterior Paints (0-50 g/L)

Thermal Product Research

- Fireshell®, Heatshedder®, Structuresavior™ (0-50 g/L)
- Green Seal (ASTM E84)*

YOLO Colorhouse

- YOLO Colorhouse (0-50 g/L)
- Green Seal*

ALKYD

Akzo Nobel Sikkens Woodcare

- Sikkens (250-400 g/L)

Cabot

- Cabot Bleaching Oil (0-50 g/L)
- Cabot Clear Solution (250-400 g/L)
- Cabot Semi-Solid Oil Stain (250-400 g/L)
- Australian Timber Oil (400+ g/L)
- Cabot Weathering Stain (400+ g/L)

Polyval Coatings

- Polyur Elastol (400+ g/L)

POLYUREA

Specialty Products Inc.

- SPI Polyshield SS-100™ (0-50 g/L)

SILICONE

Rodda Paint Co.

- Ultimate Lifetime* Exterior Satin (50-250 g/L)

SOY

BioPreserve, LLC

SoyGuard (0-50 g/L)

OTHER

Akzo Nobel - Interpon Powder Coatings

Interpon Woodcote (0-50 g/L)

Cabot

Cabot Problem Solver Wood

Cleaners/Brighteners/Strippers (0-50 g/L)

Sashco/Zero Failures

Sashco Sealants

Stains

ACRYLIC

Cabot

Cabot PRO.V.T. Solid Acrylic Stain (50-250 g/L)

Cabot Semi-Solid Acrylic Stain (50-250 g/L)

Duckback Products

Superdeck.com (50-250 g/L)

Graham Paint

Aqua Borne Ceramic, Elite, Ceramic Pro, Element, Ceramithane (50-250 g/L)

Aqua Borne Ceramic, Elite, Ceramic Pro, Element, Ceramithane, Lumber Jacket (50-250 g/L)

ICI Paints

Flood SWF Solid Solid-Color Wood Finish (50-250 g/L)

Flood TWF Semi Semi-Transparent Wood Finish (50-250 g/L)

ICI Paints Woodpride 2600-XXXX (50-250 g/L)

MPI Approved Products List

Flood CWF-UV Clear Wood FFinish (250-400 g/L)

SaverSystems/Defy

Defy (0-50 g/L)

MPI Approved Products List, MPI Green

Performance Standard

ALKYD

Akzo Nobel Sikkens Woodcare

Sikkens (250-400 g/L)

Cabot

Cabot Clear Solution (250-400 g/L)

Cabot Semi-Solid Oil Stain (250-400 g/L)

Australian Timber Oil (400+ g/L)

Cabot Semi-Transparent Oil Stain (400+ g/L)

Cabot Weathering Stain (400+ g/L)

Kelly-Moore Paint Company

Woodcraft (400+ g/L)

Woodcraft (50-250 g/L)

PPG Industries Inc.

Olympic® Premium Interior Oil Based Wood Stain (50-250 g/L)

MPI Approved Products List

Rodda Paint Co.

Rural Manor Exterior Stain (250-400 g/L)

MPI Approved Products List

Rudd Company, Inc.

Problend (400+ g/L)

United Coatings, Inc.

IN-WOOD Stain (50-250 g/L)

SOY

BioPreserve, LLC

SoyGuard (0-50 g/L)

Eco Safety Products, Inc.

TimberSoy Natural Wood Stain (0-50 g/L)

HYBRID

SEI Chemical

SCS-100 (Wood Stain Sealer) (0-50 g/L)

OTHER

BonaKemi USA

DriFast™ Quick Dry Stain (400+ g/L)

Howard Products Inc.

Howard (0-50 g/L)

Newlook International, Inc.

Deck Armor (0-50 g/L)

Sashco/Zero Failures

Sashco Sealants

Other

ACRYLIC

Benjamin Moore Paints

Aura Exterior 629, 632, 634 (50-250 g/L)

MPI Green Performance Standard

Dayton Superior

Dayton Superior, Conspec, Edoco (50-250 g/L)

Diamond Vogel Paint

V-Cote 200 Acrylic Maintenance Primer

Finish MC-Series (50-250 g/L)

MPI Approved Products List, MPI Green

Performance Standard

Faux Effects Inc.

Faux Effects® Gold and Silver Product Lines (0-50 g/L)

Frazer Paint & Wallcovering

061 Aqua Seal II (50-250 g/L)

168 Prime+Plus (50-250 g/L)

210 Stucco Shield (50-250 g/L)

213 Superflat (50-250 g/L)

215 Royal Supreme (50-250 g/L)

216 EMC Elasto-Wall (50-250 g/L)

GAF Materials Corporation

SB900 (250-400 g/L)

ICI Paints

Dulux Fortis Premium Exterior Low VOC 6403V, 6407V, 6201V (0-50 g/L)

MPI Approved Products List

Dulux Professional Exterior Low VOC 2402V, 2406V, 2200V (0-50 g/L)

MPI Approved Products List

Glidden Speed-Wall 2250V, 2452X, 2456V (0-50 g/L)

Glidden Ultra Hide Durus 2210V, 2412V, 2416V (0-50 g/L)

MPI Approved Products List

ICI Paints Gripper Primer 3210-1200 (50-250 g/L)

MPI Approved Products List

ICI Paints Spraymaster Dryfall 1280, 1482, 1486 (50-250 g/L)

MPI Approved Products List

Industrial Nanotech

Nansulate (50-250 g/L)

Leo Uhlfelder Co.

LUCO (0-50 g/L)

MER-KO

MER-KO (0-50 g/L)

ASTM D6083, California Title 24

Monopole, Inc.

AQUAPRIME (50-250 g/L)

(ASTM D5590)



Sashco/Zero Failures

Sashco Sealants

Sureshield Coatings Company

Sureshield (0-50 g/L)

(ASTM D5590)

Tnemecc Company

Enduratone (50-250 g/L)

Wall Firma

Firmacrlyl (0-50 g/L)

Firmaweld (0-50 g/L)

CEMENTITIOUS

Cohills Building Specialties

Cohills Pro Series countertop mix

Concrete Coatings Inc.

Fast-Patch™ Rapid Setting Mortar (0-50 g/L)

Micro-Topping (0-50 g/L)

Stamp-Tek™ Stampable Overlay (0-50 g/L)